




**DART**

DESIGN RF	DRAWN BY RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3437	REV. B SHEET 1 OF 4
DATE 05.08.11		TITLE AFT STRUT ASSEMBLY	SCALE 1:2
A	05.04.29	NEW ISSUE	
B	05.08.11	UPDATE D3437-5/-9/-11 DIMENSIONS	

RELEASED

05.08.16 *[Signature]***D3437-041 AFT STRUT ASSEMBLY****D3437-043 AFT STRUT ASSEMBLY****D3437-045 AFT STRUT ASSEMBLY**



COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN RF	DRAWN BY RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3437	REV. B SHEET 2 OF 4
DATE 05.08.11	TITLE AFT STRUT ASSEMBLY	SCALE 1:2	


RELEASED

05-08-16 *[Signature]***D3437-3 CLIP**  
SCALE 1:1**D3437-3**  
**FLAT PATTERN****D3437-3 CLIP:**


- 1) MATERIAL: AISI 304/316 SS SHEET, 0.050 THICK (REF DART SPEC M304S18GA)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

**DART**

DESIGN RF	DRAWN BY RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. <b>D3437</b>	REV. B SHEET 3 OF 4
DATE 05.08.11	TITLE <b>AFT STRUT ASSEMBLY</b>	SCALE 1:2	

**RELEASED**05-08-16 *[Signature]***D3437-1 FOOT****D3437-1 FOOT:**


- 1) MATERIAL: 6061-T6 (QQ-A-225/8 OR QQ-A-200/8) ALUMINUM ROUND BAR (REF. DART SPEC M6061T6R)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

**D3437-7 THREADED ROD****D3437-7 THREADED ROD:**


- 1) POSSIBLE SUPPLIER: HASKINS-SPAENAUER P/N 870-832 18-8 5/16-24 SS THREADED ROD
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

**DART**


DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3437	REV. B SHEET 4 OF 4
DATE 05.08.11	TITLE AFT STRUT ASSEMBLY	SCALE 1:2	

**D3437-5 STRUT:**

- 1) MATERIAL: AISI 303 STAINLESS HEX BAR (DART REF. SPEC M303H0.500)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

**RELEASED**

05-08-16

**D3437-9/11 EYEBOLT:**

- 1) MATERIAL: AISI 303 STAINLESS ROUND BAR (DART REF. SPEC M303R)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010